INDEX

Page

Abelmoschus esculentus host plant of *Ascochyta abelmoschi* 207–212
Acer saccharinum, susceptibility of seeds to desiccation 526
Acetic acid. See Acid, acetic.
Achras sapota, food plant of *Ceratitis capitata* 606–608
Acid—
  acetic, occurrence in silage 406–408
  butyric, occurrence in silage 406–408
  lactic, occurrence in silage 406–408
  propionic, occurrence in silage 406–408
  sulphuric, influence on nitrogen-assimilating bacteria 323–332
Acidity of Silage Made from Various Crops (paper) 395–409
Acidity—
  silage 395–409
  soil, influence on growth of legume bacteria 319
Acrostalagmus sp., causal organism of stem lesions of *Solanum tuberosum* 213–220
Aegle Marmelos, resistance to Citrus-canker .. 340
Aeglinae, susceptibility to Citrus-canker 340–341
Aeglopsis Chevalieri, resistance to citrus-canker 340
Aggressin, natural, value in immunization against blackleg 253–262
Air, effect on composition of *Ipomoea batatas* 273–284
Alfalfa. See *Medicago sativa*.
Alkalinity, soil, influence on growth of legume bacteria 319
Almond, Indian. See *Terminalia catappa*.
Alternaria spp., causal organisms of stem lesions of *Solanum tuberosum* 213–220
Alway, F. J., and McDole, G. R. (paper): Variations in the Moisture Content of the Surface Foot of a Loess Soil as Related to the Hygroscopic Coefficient 453–480
Amygdalus persica, food plant of *Ceratitis capitata* 605–608
Anatomy of the Potato Plant, with Special Reference to the Ontogeny of the Vascular System (paper) 221–252
Andropogon—
  halepensis sudanensis, syn. *Holcus halepensis sudanensis*.
  sorghum—
    composition 176–185
    digestibility 176–185
    effect of deep tilling in Great Plains on. 505–517
    effect of soil dynamiting in Great Plains on 505–506
    effect of subsoiling in Great Plains on ... 481–521
Anthrax—
  symptomatic, improved methods of immunization against 253–262
  toxin, symptomatic, concentration 263–264

Page

Apanteles lacteicolor—
  description 194–201
  distribution 192–194
  economic importance 200–201
  importation 192
  life history 195–199
  parasite of *Euproctis chrysorrhoea* 191–206
  seasonal history 195–199
  secondary parasitism 201
  summer hosts of 199–200
Apantesis—
  argo, male and female, taken at light traps. 136–137
  vitiata, male and female, taken at light traps 136–137
Aphid. See *Pemphigus populi-transversus*.
Aphis—
  potato. See *Macrosiphum solanifolii*.
  spinach. See *Rhopalosiphum persicae*.
  spring grain. See *Toxoptera graminum*.
Apple, rose. See *Eugenia jambos*.
Apple. See *Malus sylvestris*.
Archips—
  argyrospila, female, at light traps 146–148
  rosaceana, female, at light traps 146–148
Arny, A. C., and Garber, R. J. (paper): Variation and Correlation in Wheat, with Special reference to Weight of Seed Planted 359–392
Arsilonche albovenosa, female, at light traps 136–140
Artschwager, E. F. (paper): Anatomy of the Potato Plant, with Special Reference to the Ontogeny of the Vascular System 221–252
Ascochyta abelmoschi—
  casual organism of podspot of *Abelmoschus esculentus* 208–210
  cultural character 211
  description 209–210
  inoculations with 210–211
  n. sp 209–211
Atalantia citrioides, resistance to Citrus canker. 341
Atanasoff, D., et al. (paper): Corn-Rootrot and Wheatscab 611–612
Autographa—
  biloba, female, at light traps 136–140
  simplex, female, at light traps 136–140
Availability of Potash in Some Common Soil-Forming Minerals—Effect of Lime Upon Potash Absorption by Different Crops (paper) 297–316
Avena sativa—
  effect of—
    deep tilling in Great Plains on 515
    subsoiling in Great Plains on 484–504
  silage of, acidity 400–409
  used in experiments with *Puccinia graminis* 113
Averrhoa carambola, food plant of *Ceratitis capitata* 606–608

Azotobacter— Page
effect of hydrogen-ion concentration on.... 332
relation of soil reaction to growth..... 265–271
Bacteria—
alfalfa, effect of hydrogen-ion concentration on..... 329
legume—
effect of hydrogen-ion concentration on 330–331
formation of nodules by..... 320
identification..... 319–323
influence of—
acidity on growth of..... 319
alkalinity on growth of..... 319
sodium hydroxid on reproduction of.. 323
sulphuric acid on..... 323–328
lupine, effect of concentration of hydrogen-ion..... 328–329
nitrogen-assimilating—
influence of—
sodium hydroxid on..... 328–332
sulphuric acid on..... 328–332
nitrogen-fixing, reproduction of..... 323–333
Bark, tan, use as bedding material..... 187–190
Barley. See *Hordeum* spp.
Beet leafhopper. See *Eutettix tenella*.
Beet, sugar. See *Beta vulgaris*.
Berg, W. N. (paper): Concentration of Symptomatic Anthrax (Blackleg) Toxin..... 263–264
Beta vulgaris, curly-top infection through *Eutettix tenella*..... 393–394
Bethel, E., et al. (paper): Piñon Blister Rust..... 411–424
Beyer, A. H., and Luginbill, P. (paper): Contribution to the Knowledge of Toxoptere graminum in the South..... 97–110
Biotite, availability of potash in..... 297–316
Black myrobalan. See *Terminalia chebula*.
Blackleg—
improved methods of immunization against..... 253–262
toxin, concentration of..... 263–264
Blister-rust, piñon, caused by *Cronartium occidentale*..... 411–424
Blood, rat, recovery of trypanosomes from.. 573–576
Bluegrass, Kentucky. See *Poa pratensis*.
Botrytis sp., casual organism of stem lesions of *Solanum tuberosum*..... 213–220
Brassica—
napus, food-plant of *Pemphigus populi-transversus*..... 585
nigra, food plant of *Pemphigus populi-transversus*..... 585
oleracea—
botrytis, food plant of *Pemphigus populi-transversus*..... 585
capitata, food plant of *Pemphigus populi-transversus*..... 577–594
gemmifera, food-plant of *Pemphigus populi-transversus*..... 585
host of *Plasmodiophora brassicae*..... 543–572
tissue invasion of by *Plasmodiophora brassicae*..... 543–572
rapa, food plant of *Pemphigus populi-transversus*..... 578
Broccoli. See *Brassica oleracea botrytis*.
Broom corn. See *Andropogon sorghum*.
Brussels sprouts. See *Brassica oleracea gemmifera*.
Buckwheat. See *Fagopyrum esculentum*. Page
Butter fat, percentage in cow's milk..... 67–96
Butyric acid. See Acid, butyric.
Cabbage. See *Brassica oleracea*.
Caenurgia—
crassiuscula, female, at light traps..... 136–142
erechtea, female, at light traps..... 136–142
Calcium—
carbonate, effect on solubility of potash in soil-forming minerals..... 297–316
effect on potash absorption by different crops..... 297–316
nitrate, requirement for buckwheat in culture solutions..... 151–175
Calophyllum inophyllum, food plant of *Ceratitis capitata*..... 606–608
Can Biologic Forms of Stemrust on Wheat Change Rapidly Enough to Interfere with Breeding for Rust Resistance? (paper).. 111–124
Carambola. See *Averrhoa carambola*.
Carpocapsa pomonella, female, at light traps 146, 148
Carruth, F. E., and Withers, W. A. (paper): Comparative Toxicity of Cottonseed Products..... 425–452
Carsner, E., and Stahl, C. F. (paper): Obtaining Beet Leafhoppers Nonvirulent as to Curly-Top..... 393–394
Casimiroa edulis—
food plant of *Ceratitis capitata*..... 606–608
resistance to Citrus-canker..... 340
Cattle—
occurrence of coccidioidal granuloma in. 533–542
value of Sudan-grass hay as feed for..... 176–185
Cauliflower. See *Brassica oleracea botrytis*.
Ceratitis capitata, parasitism in Hawaii in 1917..... 605–610
Chaetospermum glutinosa, resistance to Citrus-canker..... 341
Chalcas exotica, resistance to Citrus-canker... 340
Cherry—
French. See *Eugenia uniflora*.
wild. See *Prunus* spp.
Chilcott, E. C., and Cole, J. S. (paper): Subsoiling, Deep Tilling, and Soil Dynamiting in the Great Plains..... 481–521
Chinese orange. See *Citrus japonica*.
Chloridea obsoleta, female, at light traps.... 147, 148
Chrysophyllum olivaeforme, food plant of *Ceratitis capitata*..... 606–608
Cicitrange, resistance to Citrus-canker..... 350
Cirphis unipuncta, female, at light traps... 136–143
Citradia, resistance to Citrus-canker..... 349
Citrandarin—
overwintering of Citrus-canker organism in..... 523–524
resistance to Citrus-canker..... 350
Citrange—
resistance to Citrus-canker..... 348–349
Rusk, overwintering of Citrus-canker organism in..... 523–524
Savage, overwintering of Citrus-canker organism in..... 523–524
Citrangequat, resistance to Citrus-canker.... 350
Citranguma, resistance to Citrus-canker..... 350
Citrene, susceptibility to Citrus-canker..... 340–341
Citrinae, susceptibility to Citrus-canker..... 341
Citropsis Schweinfurthii, resistance to Citrus-canker..... 341

Page

Citrumelo, resistance to Citrus-canker..... 349
Citrus—
aurantifolia, resistance to Citrus-canker.... 346
excelsa, resistance to Citrus-canker..... 348
genus, susceptibility of wild relatives of, to Citrus-canker..... 340–355
grandis—
overwintering of Citrus-canker organism in..... 523–524
resistance to Citrus-canker..... 346
hybrid. See Hybrid, citrus.
Hystrix, resistance to Citrus-canker..... 344
japonica, food plant of *Ceratitis capitata*.. 606–608
Medica, resistance to Citrus-canker..... 344
mitis, resistance to Citrus-canker..... 347
nobilis—
deliciosa, food plant of *Ceratitis capitata*. 606–608
resistance to Citrus-canker..... 347
var. *unshiu*, overwintering of Citrus-canker organism in..... 523–524
sinensis, food plant of *Ceratitis capitata*... 606–608
spp. resistance to Citrus-canker..... 344–348
susceptibility of wild relatives of, to Citrus-canker..... 340–344
Citrus-canker—
organism of, overwintering..... 523–524
resistance of Citrus plants to..... 337–357
susceptibility of Citrus plants to..... 337–357
Clausena—
lansium, resistance to Citrus-canker..... 340
wampi, food plant of *Ceratitis capitata*.... 606–608
Clonostachys sp., casual organism of stem lesions of *Solanum tuberosum*..... 213–220
Clubroot, disease of crucifers caused by *Plasmodiophora brassicae*..... 543–572
Coccidioidal granuloma, occurrence in—
cattle..... 533–542
man..... 533–534
Coccidioides immitis—
casual organism of coccidioidal granuloma. 533–542
cultural characters..... 535–536
description..... 534–536
inoculations with..... 536–540
life cycle..... 534–535
Coffea arabica, food plant of *Ceratitis capitata* 606–608
Coffee. See *Coffea arabica*.
Cole, J. S., and Chilcott, E. C. (paper): Subsoiling, Deep Tilling, and Soil Dynamiting in the Great Plains..... 481–521
Comparative Study of Salt Requirements for Young and for Mature Buckwheat Plants in Solution Cultures, A (paper)..... 151–175
Comparative Toxicity of Cottonseed Products (paper)..... 425–452
Complement fixation, improved method for recovering trypanosomes from blood of rats for antigen purposes..... 573–576
Composition and Digestibility of Sudan-Grass Hay (paper)..... 176–185
Concentration of Symptomatic Anthrax (Blackleg) Toxin (paper)..... 263–264
Conifers, whitespot disease of..... 595–604
Contribution to the knowledge of Toxoptera graminum in the South (paper)..... 97–110
Corethropsis sp., casual organism of stem lesions of *Solanum tuberosum*..... 216–219

Page

Corn—
broom. See *Andropogon sorghum*.
See also *Zea mays*.
Corn-Rootrot and Wheatscab (paper)..... 611–612
Cornopus didymus, food plant of *Pemphigus populi-transversus*..... 585
Correlation between the Percentage of Fat in Cow's Milk and the Yield (paper)..... 67–96
Cotton. See *Gossypium* spp.
Cottonseed—
effect of cooking on toxicity..... 436–439
meal, toxicity..... 435–452
toxicity..... 425–452
Cottonwood. See *Populus* spp.
Cow—
milk of, correlation between percentage of fat and yield..... 67–96
value of Sudan-grass hay as feed for..... 176–185
Cowpea. See *Vigna sinensis*.
Crambus hortuellus, female, at light traps.. 145, 148
Crocker, W., and Harrington, G. T. (paper): Resistance of Seeds to Desiccation..... 525–532
Cronartium—
occidentale—
cause of piñon blister-rust..... 441–424
comparison with *Cronartium ribicola*... 414–415
description..... 413–415
dissemination..... 420–423
distribution..... 415–418
effect on hosts..... 422–423
n. sp..... 413–415
overwintering..... 420–422
inoculation..... 418–422
Ribicola, comparison with *Cronartium occidentale*..... 414–415
Cruciferae, occurrence of galls in..... 577–594
Damping-off, resemblance to whitespot disease of plants..... 595
Datana ministra, female, at light traps..... 136–144
Davenport, A., and Fred, E. B. (paper): Influence of Reaction on Nitrogen-Assimilating Bacteria..... 317–336
Deep tilling of soil, effect in Great Plains.. 505–517
Desiccation, resistance of seeds to..... 525–532
Diachasma—
fullawayi, parasite of *Ceratitis capitata*.... 606–610
tryoni, parasite of *Ceratitis capitata*..... 606–610
Diacrisia virginica, female, at light traps... 136–138
Dog, susceptibility to coccidioidal granuloma..... 536–538
Drouth, relation to moisture content of loess soil..... 457–461
Dynamiting of soil, effect in Great Plains.. 505–517
Edson, H. A., and Shapovalov, M. (paper): Potato-Stem Lesions..... 213–220
Effect of Different Oxygen Pressures on the Carbohydrate Metabolism of the Sweet Potato (paper)..... 273–284
Elasmopalpus lignosellus, female, at light traps..... 145, 148
Emmer. See *Triticum dicoccum*.
Eremocitrus glauca, resistance to Citrus-canker..... 349
Eriobotrya japonica, food plant of *Ceratitis capitata*..... 606–608
Errata..... IV

Page

Erysiphe graminis DC., biologic forms of, on genus Bromus broken down by use of bridging hosts ... 112
Estigmene acraea, female, at light traps ... 136–138
Eugenia—
jambos, food plant of *Ceratitis capitata* ... 606–608
uniflora, food plant of *Ceratitis capitata* ... 606–608
Euproctis chrysorrhoea—
distribution ... 191
female, at light traps ... 145, 148
host of—
Apanteles lacteicolor ... 191–206
Meteorus versicolor ... 191–206
life history ... 191–192
parasite of—
Malus sylvestris ... 191–192
Prunus spp. ... 191–192
Pyrus communis ... 191–192
Quercus spp. ... 191–192
Euteltrix tenella—
nonvirulent as to curly-top ... 393–394
transmission of curly-top of *Beta vulgaris* by ... 393–394
Fagopyrum esculentum, salt requirements in culture solutions ... 151–175
Faustrime, resistance to Citrus-canker ... 348
Faustrimon, resistance to Citrus-canker ... 348
Feed—
cow's, value of Sudan-grass hay as ... 176–185
poultry, Southern, mineral content of ... 125–134
Feltia spp., female, at light traps ... 136–144
Female Lepidoptera at Light Traps (paper) ... 135–149
Feronia Limonia, resistance to Citrus-canker. 341
Feroniella lucida, resistance to Citrus-canker. 341
Feroninae, susceptibility to Citrus-canker ... 341
Filtrate, toxic culture, value in immunization against blackleg ... 261–262
Flax. See *Linum usitatissimum*.
Fly, fruit, Mediterranean. See *Ceratitis capitata*.
Fortunella—
crassifolia, resistance to Citrus-canker ... 342–343.
hindsii, resistance to Citrus-canker ... 343
margarita, resistance to Citrus-canker ... 342
Fowl—
mineral requirements of ... 125–134
See Poultry.
Fred, E. B., and Davenport, A. (paper): Influence of Reaction on Nitrogen-Assimilating Bacteria ... 317–336
French cherry. See *Eugenia uniflora*.
Fruit, Citrus, susceptibility to Citrus-canker ... 344–348
Fruit fly, Mediterranean. See *Ceratitis capitata*.
Fusarium spp., causal organisms of stem lesions of *Solanum tuberosum* ... 213–220
Fusarium-rot on corn ... 611
Gaessler, W. G., and McCandlish, A. C. (paper): Composition and Digestibility of Sudan-Grass Hay ... 176–185
Gainey, P. L. (paper): Soil Reaction and the Growth of Azotobacter ... 265–271
Galls occurrence in—
crucifers ... 577–594
Populus spp. ... 577–594

Page

Garber, R. J., and Arny, A. C. (paper): Variation and Correlation in Wheat, with Special Reference to Weight of Seed Planted ... 359–392
"Germ-free vaccine." See Vaccine, germ-free.
Gibberella spp. on old cornstalks ... 611
Gillette, C. P. (paper): Descriptions of Stages of *Pemphigus populi-transversus* and Its Gall ... 589–592
Giltner, L. T. (paper): Occurrence of Coccidioidal Granuloma (Oidiomycosis) in Cattle ... 533–542
Glycosmis pentaphylla, resistance to Citrus-canker ... 340
Gossypium spp., effect of subsoiling in Great Plains on ... 484–504
Gossypol, toxicity ... 425–452
Gramineae spp., resistance of seeds to desiccation ... 526–532
Grapefruit. See *Citrus grandis*.
Grass—
blue, Kentucky. See *Poa pratensis*.
Johnson. See *Holcus halepensis*.
Sudan—
composition of hay ... 176–185
digestibility of hay ... 176–185
yield for hay ... 176
See *Holcus halepensis sudanensis*.
Great Plains—
effect of—
deep tilling in ... 505–517
soil dynamiting in ... 505–517
subsoiling in ... 481–521
Grossularia spp.—
injury by *Cronartium occidentale* ... 422–423
inoculation with *Cronartium occidentale* ... 419–420
Guava—
strawberry. See *Psidium cattleianum*.
See also *Psidium guajava*.
Guinea pig, susceptibility to coccidioidal granuloma ... 536–537
Gypsum, effect on water-soluble potash ... 61–66
Halisidota—
caryae, female, at light traps ... 147–148
tessellaris, female, at light traps ... 136–139
Hardy, J. I. (paper): Influence of Humidity upon the Strength and the Elasticity of Wool Fiber ... 285–296
Harrington, G. T., and Crocker, W. (paper): Resistance of Seeds to Desiccation ... 525–532
Harter, L. L. (paper): A Hitherto Unreported Disease of Okra ... 207–212
Hartley, C. (paper): Stem Lesions Caused by Excessive Heat ... 595–604
Hasselbring, H. (paper): Effect of Different Oxygen Pressures on the Carbohydrate Metabolism of the Sweet Potato ... 273–284
Hawaii, Mediterranean fruit fly during 1917 in ... 605–610
Hedgcock, G. G., Bethel, E., and Hunt, N. R. (paper): Piñon Blister-Rust ... 411–424
Helianthus annuus, effect of deep tilling in Great Plains on ... 508–517
Hemileuca oliviae, female, at light traps ... 146, 148

Page

Hen—
effect of cottonseed products on—
egg production of ... 441–442
growth of ... 438–442
Hesperethusa crenulata, resistance to Citrus-canker ... 341
Hoffer, G. N., Johnson, A. G., and Atanasoff, D. (paper): Corn-Rootrot and Wheatscab. 611–612
Holcus—
halepensis resistance of seeds to desiccation 527–532
sudanensis, resistance of seeds to desiccation ... 527–532
Honolulu, parasitism of *Tetrastichus giffardianus*, near ... 606–610
Hordeum—
jubatum, used in experiments with *Puccinia graminis tritici-compacti* ... 117
spp., effect of subsoiling in Great Plains on 484–504
vulgare—
host plant of *Puccinia graminis tritici* .. 117–121
host plant of *Puccinia graminis tritici-compacti* ... 113–117
resistance of seeds to desiccation ... 527–532
Hitherto Unreported Disease of Okra, (paper) ... 207–212
Humidity, influence on wool fiber ... 285–295
Hybrid, Citrus, overwintering of Citrus-canker organism in ... 523–524
Hybrids, Citrus, susceptibility to Citrus-canker ... 348–351
Hydrogen-ion—
concentration of, effect on—
alfalfa bacteria ... 329
Azotobacter ... 332
lupine bacteria ... 328–329
Hygroscopic coefficient, relation of moisture content of loess soil to ... 453–480
Improved Method for Recovering Trypanosomes from the Blood of Rats for Antigen Purposes in Connection with Complement Fixation, An (paper) ... 573–576
Improved Methods of Immunization against Symptomatic Anthrax (Blackleg) (paper) 253–262
Indian—
almond. See *Terminalia catappa*.
corn. See *Zea mays*.
Influence of Gypsum upon the Solubility of Potash in Soils (paper) ... 61–66
Influence of Humidity upon the Strength and the Elasticity of Wool Fiber (paper) ... 285–296
Influence of Reaction on Nitrogen-Assimilating Bacteria (paper) ... 317–336
Ipomoea batatas—
effect of—
air on composition of ... 273–284
hydrogen on composition of ... 273–284
oxygen on composition of ... 273–274
Isia isabella, female, at light traps ... 136–139
Johnson, A. G., et al. (paper): Corn-Rootrot and Wheatscab ... 611–612
Johnson grass. See *Holcus halepensis*.
Jones, T. H. (paper): Life History of Pemphigus populi-transversus ... 577–594
Kafir. See *Andropogon sorghum*.
Kamani. See *Calophyllum inophyllum*.

Page

Kaupp, B. F. (paper): Mineral Content of Southern Poultry Feeds and Mineral Requirements of Growing Fowls ... 125–134
Kelser, R. A. (paper): Improved Methods of Immunization Against Symptomatic Anthrax (Blackleg) ... 253–262
Kentucky bluegrass. See *Poa pratensis*.
Kona orange. See *Citrus sinensis*.
Kunkel, L. O. (paper): Tissue Invasion by Plasmodiophora brassicae ... 543–572
Lactic acid, occurrence in silage ... 406–408
Lavanginae, susceptibility to Citrus-canker .. 341
Leaf, satin. See *Chrysophyllum olivaeforme*.
Leafhopper, beet. See *Eutettix tenella*.
Leaves, oak, use as bedding material ... 187–190
Legume, bacteria. See Bacteria, legume.
Legumes, influence of reaction of soil on growth of ... 317–320
Lepidium virginicum, food plant of *Pemphigus populi-transversus* ... 585
Lepidoptera, female, at light traps ... 135–149
Lesions, stem, of *Solanum tuberosum*—
casual organisms of ... 213–219
inoculations with fungi from ... 214–219
isolations of fungi from ... 213–214
Life History of Pemphigus populi-transversus (paper) ... 577–594
Ligniera—
graminis, tissue invasion by ... 560
junci, tissue invasion by ... 560
Lime. See Calcium.
Limelo, resistance to Citrus-canker ... 350
Limequat, resistance to Citrus-canker ... 350
Linum usitatissimum, effect of subsoiling in Great Plains on ... 484–504
Loquat. See *Eriobotrya japonica*.
Luginbill, P., and Beyer, A. H. (paper): Contribution to the Knowledge of Toxoptera graminum in the South ... 97–110
McCandlish, A. C., and Gaessler, W. G. (paper): Composition and Digestibility of Sudan-Grass Hay ... 176–185
McClintock, J. A., and Smith, L. B. (paper): True Nature of Spinach-Blight and Relation of Insects to Its Transmission ... 1–60
McDole, G. R., and Alway, F. J. (paper): Variations in the Moisture Content of the Surface Foot of the Loess Soil as Related to the Hygroscopic Coefficient ... 453–480
McMiller, P. R. (paper): Influence of Gypsum upon the Solubility of Potash in Soils .. 61–66
Macrosiphum solanifolii, agency in dissemination of spinach-blight ... 11–56
Magnesium sulphate, requirement for buckwheat in culture solutions ... 151–175
Malus sylvestris, food plant of *Euproctis chrysorrhoea* ... 191–192
Man, occurrence of coccidioidal granuloma in ... 533–534
Mandarin orange. See *Citrus nobilis deliciosa*.
Mangifera indica, food plant of *Ceratitis capitata* ... 605–608
Mango. See *Mangifera indica*.
Manure, conservation, in relation to bedding materials ... 187–190

Page

Maple, silver. See *Acer saccharinum*.
Martin, W. H., and Shive, J. W. (paper): A Comparative Study of Salt Requirements for Young and for Mature Buckwheat Plants in Solution Cultures..... 151-175
Medicago sativa, silage of, acidity..... 395-409
Mediterranean fruit fly. See *Ceratitis capitata*.
Medlar, West Indian. See *Mimusops elengi*.
Melana diffusa, female, at light traps..... 136-140
Meloerus versicolor—
description..... 201-205
distribution..... 192-194
economic importance..... 205
importation..... 192
life history..... 202-204
parasite of *Euproctis chrysorrhoea*..... 191-206
seasonal history..... 202-204
summer hosts of..... 204-205
Microcitrus—
australasica, resistance to Citrus-canker..... 343
australis, resistance to Citrus-canker..... 343-344
Garrowayi, resistance to Citrus-canker..... 343
Microcline, availability of potash in..... 297-316
Milk, cow's—
correlation between percentage of fat and yield..... 67-96
value of—
alfalfa hay in production of..... 178-179
Sudan-grass hay in production of..... 178-179
Millet. See *Panicum miliaceum*.
Milo. See *Andropogon sorghum*.
Mimusops elengi, food plant of *Ceratitis capitata*..... 606-608
Mineral Content of Southern Poultry Feeds and Mineral Requirements of Growing Fowls (paper)..... 125-134
Moisture, variations in loess soil..... 453-480
Mold, vegetable, use as bedding material... 187-190
Moth—
brown-tail—
parasites of..... 191-206
See *Euproctis chrysorrhoea*.
See also Lepidoptera.
Muesebeck, C. F. W. (paper): Two Important Introduced Parasites of the Brown-Tail Moth..... 191-206
Muscovite, availability of potash in..... 297-316
Mustard. See *Brassica nigra*.
Myrobalan, black. See *Terminalia chebula*.
"Natural aggressin." See Agressin, natural.
Neal, D. C., and Peltier, G. L. (paper): Overwintering of the Citrus-Canker Organism in the Bark Tissue of Hardy Citrus Hybrids..... 523-524
Neidig, R. E. (paper): Acidity of Silage Made from Various Crops..... 395-409
Nitrogen—
effect on composition of *Ipomoea batatas*.. 273-284
fixation by bacteria, influence of reaction on..... 317-336
Nitrogen-assimilating bacteria, influence of reaction on..... 317-336
Noctua c-nigrum, female, at light traps.... 136-144
Nodules, formation from legume bacteria.... 320
Oak. See *Quercus* spp.
Oats. See *Avena sativa*.

Page

Obtaining Beet Leafhoppers Nonvirulent as to Curly-Top (paper)..... 393-394
Occurrence of Coccidioidal Granuloma (Oidiomycosis) in Cattle (paper)..... 533-542
Ochrosia elliptica, food plant of *Ceratitis capitata*..... 606-608
Oidiomycosis occurrence in—
cattle..... 533-542
man..... 533-534
Okra. See *Abelmoschus esculentus*.
Oleander, yellow. See *Thevetia neriifolia*.
Opius humilis, parasite of *Ceratitis capitata*. 606-610
Orange—
Chinese. See *Citrus japonica*.
kona. See *Citrus sinensis*.
mandarin. See *Citrus nobilis deliciosa*.
Satsuma. See *Citrus nobilis* var. *unshiu*.
Orthoclase, availability of potash in..... 297-316
Ostenfeldiella diplantherae, tissue invasion by. 569
Overwintering of the Citrus-Canker Organism in the Bark Tissue of Hardy Citrus Hybrids (paper)..... 523-524
Oxygen, effect on composition of *Ipomoea batatas*..... 273-284
Panicum miliaceum, effect of deep tilling in Great Plains on..... 514-516
Parasitism, intercrop, control of..... 610
Parker, John H., et al. (paper): Can Biologic Forms of Stemrust on Wheat Change Rapidly Enough to Interfere with Breeding for Rust Resistance?..... 111-123
Peach. See *Amygdalus persica*.
Pear. See *Pyrus communis*.
Peas. See *Pisum* spp.
Peat, use as bedding material..... 187-190
Peltier, G. L., and Neal, D. C. (paper): Overwintering of the Citrus-Canker Organism in the Bark Tissue of Hardy Citrus Hybrids..... 523-524
Peltier, G. L. (paper): Succeptibility and Resistance to Citrus-Canker of the Wild Relatives Citrus Fruits, and Hybrids of the Genus Citrus..... 337-358
Pemberton, C. E., and Willard, H. F. (paper): Work and Parasitism of the Mediterranean Fruit Fly in Hawaii during 1917..... 605-610
Pemphigus—
populicaulis, galls of,..... 592
populi-ramulorum, galls of, comparison with *Pemphigus populi-transversus*..... 592
populi-transversus—
description of gall of..... 581, 589-592
description of stages..... 589, 592
distribution..... 580-581
formation of gall by..... 587
host plants of..... 580-581
injury caused by..... 584-586
life history..... 577-594
migration..... 581-586
occurrence of winged migrants in soil.... 586
oviposition..... 587
reproduction..... 586-587
seasonal history..... 587-589
Peridermium—
occidentale, aecial stage of *Cronartium occidentale*..... 413-418
strobi, aecial stage of *Cronartium occidentale*..... 413-415

Page

Pheidole megacephala Fabricius, native parasite of fruit pests in Hawaii..... 608
Phoma sp., causal organism of stem lesions of *Solanum tuberosum*..... 216–219
Phthorimaea operculella, female, at light traps 145, 148
Piemeisel, F. J., et al. (paper): Can Biologic Forms of Stemrust on Wheat Change Rapidly Enough to Interfere with Breeding for Rust Resistance?..... 111–123
Pig, toxicity of cottonseed products to..... 442–449
Pine. See *Pinus* spp.
Piñon Blister-Rust (paper)..... 411–424
Piñon. See *Pinus edulis; Pinus monophylla.*
Pinus—
edulis, host plant of *Cronartium occidentale* 411–424
monophylla, host plant of *Cronartium occidentale*..... 411–424
spp.—
resemblance of damping-off to whitespot. 595
stem lesions caused by bending..... 601–602
stem lesions caused by heat 595
whitespot disease of..... 595–603
Pisum spp., silage of, acidity..... 400–409
Plains, Great. See Great Plains.
Plant, rutaceous, susceptibility to Citrus-canker..... 340–344
Plasmodiophora brassicae—
galls, comparison with *Spongospora subterranea*..... 567–568
histology of club caused by..... 557–561
infection of young roots by..... 561–562
morphology of club caused by..... 546–547
nature of infection by..... 545–546
parasite of *Brassica oleracea*..... 543–572
passage through host tissues..... 554–556
production of branch roots and shoots caused by..... 556–557
relation to host tissues..... 563–567
stages in club formation caused by..... 547–554
time of infection by..... 545–546
tissue invasion by..... 543–572
Plasmodiophoraceae, tissue invasion by... 543–572
Plummer, J. K. (paper): Availability of Potash in Some Common Soil-Forming Minerals—Effect of Lime Upon Potash Absorption by Different Crops..... 297–316
Plutella maculipennis, female, at light traps. 146, 148
Poa pratensis, resistance of seeds of to desiccation..... 526–532
Podspot of *Abelmoschus esculentus*—
cause..... 208–210
description..... 208
origin..... 207–208
Poisoning, cottonseed..... 425–452
Polia renigera, female, at light traps..... 136–141
Poncirus trifoliata—
overwintering of Citrus-canker organism in..... 523–524
resistance to Citrus-canker..... 342
Poplar. See *Populus* spp.
Populus—
balsamifera, food plant of *Pemphigus populi-transversus*..... 580–581

Page

Populus—Continued
deltoides—
food plant of *Pemphigus populi-transversus*..... 580–592
formation of galls on..... 581
percentage of leaf petioles showing galls.. 582
monilifera—
food plant of *Pemphigus populi-transversus*..... 580–581
syn. *Populus deltoides.*
spp., occurrence of galls in..... 577–594
Porthetria dispar, female, at light traps..... 147, 148
Potash—
solubility in soils, effect of gypsum on..... 61–66
See Potassium.
Potassium—
availability in soil-forming minerals..... 297–316
phosphate, requirement for buckwheat in culture solutions..... 151–175
sulphate, availability of potash in..... 297–316
Potato—
sweet. See *Ipomoea batatas.*
See also *Solanum tuberosum.*
Potato-Stem Lesions (paper)..... 213–220
Poultry, effect of cottonseed products on—
egg production..... 441–442
growth..... 438–442
Propionic acid, occurrence in silage..... 406–408
Prunus spp., food plant of *Euproctis chrysorrhoea*..... 191–192
Pseudomonas citri, inoculation of Citrus plants with..... 337–357
Psidium—
cattleianum, food plant of *Ceratitis capitata* 606–608
guajava, food plant of *Ceratitis capitata*... 606–608
Puccinia—
dispersa Erikss., reference to Ward's study of..... 112
glumarum Erikss. and Henn., resistance in wheats to, a recessive Mendelian character. 112
graminis Pers., whether bridging hosts can be used with, to infect plants normally immune..... 112
tritici—
effect of wheat hybrids on..... 117–121
inoculations with..... 117–121
Pyrus communis, food plant of *Euproctis chrysorrhoea*..... 191–192
Quercus spp., food plant of *Euproctis chrysorrhoea*..... 191–192
Rabbit—
susceptibility to coccidioidal granuloma . 536–538
toxicity of cottonseed products to..... 435–438
Rape. See *Brassica napus.*
Rat—
recovery of trypanosomes from blood of.. 573–576
toxicity of cottonseed products to..... 429–435
Resistance of Seeds to Desiccation (paper). 525–532
Reynolds, F. H., and Schoening, H. W. (paper): An Improved Method for Recovering Trypansomes from the Blood of Rats for Antigen Purposes in Connection with Complement Fixation..... 573–576
Rhizoctonia spp., casual organisms of stem lesions of *Solanum tuberosum*..... 213, 220

Page

Rhizobium leguminosarum, effect on reaction of culture medium..... 332
Rhopalosiphum persicae, agency in dissemination of spinach blight..... 11–56
Ribes spp.—
injury by *Cronartium occidentale*..... 422–423
inoculation with *Cronartium occidentale*.. 419–420
Rice, wild. See *Zizania palustris*.
Roberts, E. (paper): Correlation between the Percentage of Fat in Cow's Milk and the Yield..... 67–96
Roripa sp., food plant of *Pemphigus populitransversus*..... 585
Rose-apple. See *Eugenia jambos*.
Ruppia rostellata, host of *Tetramyxa parasitica*..... 569
Rust—
blister, piñon. See Blister-rust, piñon.
stem. See *Puccinia graminis tritici*. See also *Puccinia graminis tritici-compacti*.
Rutaceous plants. See Plant, rutaceous.
Rye. See *Secale cereale*.
Salix spp., susceptibility to desiccation..... 526
Sanninoidea opalescens, female, at light traps 146–148
Sapodilla. See *Achras sapota*.
Sapote, white. See *Casimiroa edulis*.
Satin-leaf. See *Chrysophyllum olivaeforme*.
Satsuma orange. See *Citrus nobilis* var. *unshiu*.
Sawdust, use as bedding material..... 187–190
Schoening, H. W., and Reynolds, F. H. (paper): An Improved Method for Recovering Trypansomes from the Blood of Rats for Antigen Purposes in Connection with Complement Fixation..... 573–576
Sclerotinia sp., casual organism of stem lesions of *Solanum tuberosum*..... 213–220
Secale cereale, whitespot disease of..... 598
Seed, resistance to desiccation..... 525–532
Severinia buxifolia, resistance to Citrus-canker 341
Shapovalov, M., and Edson H. A. (paper): Potato-Stem Lesions..... 213–220
Shavings, use as bedding material..... 187–190
Sheep, susceptibility to coccidioidal granuloma..... 536, 538–539
Shive, J. W., and Martin W. H. (paper): A Comparative Study of Salt Requirements for Young and for Mature Buckwheat Plants in Solution Cultures..... 151–175
Silage, acidity..... 395–409
Silver maple. See *Acer saccharinum*.
Smith, L. B., and McClintock, J. A. (paper): True Nature of Spinach-Blight and Relation of Insects to Its Transmission..... 1–60
Sodium hydroxid, influence on nitrogen-assimilating bacteria..... 323–332
Soil—
acidity, influence on growth of legume bacteria..... 319
alkalinity, influence on growth of legume bacteria..... 319
availability of potash in..... 297–316
deep tilling, effect in Great Plains..... 505–517
dynamiting, effect in Great Plains..... 505–517
effect of gypsum on solubility of potash in. 65
loess, moisture content of—
relation to hygroscopic coefficient..... 453–480
relation of weather to..... 454–457

Page

Soil—Continued
reaction of—
influence on legumes.....
relation to growth of Azotobacter..... 265–271
subsoiling, effect in Great Plains..... 481–521
Soil Reaction and the Growth of Azotobacter (paper)..... 265–271
Solanum tuberosum—
anatomy..... 221–236
gross morphology..... 223–225
ontogeny..... 237–250
secondary growth..... 249–250
stem lesions of..... 213–220
Sorghum halepense, syn. *Holcus halepensis*.
Sorghum. See *Andropogon sorghum*.
Sorodiscus callitrichis, tissue invasion by..... 569
Sorosphaera veronica, tissue invasion by..... 568
South, *Toxoptera graminum* in..... 97–110
Soybean meal, toxicity..... 428–448
Species, new..... 209–211, 413–415
Spinacea oleracea, blight of—
cause of dissemination..... 6
control..... 55–56
description..... 2–4
history..... 4–5
insect transmission..... 10–53
relation of bacteria to..... 7–8
relation of drainage to..... 6–7
relation of fertilizer to..... 7
relation of fungi to..... 7–8
seed transmission..... 55
soil transmission..... 53–54
summering of..... 46–50
Spinach. See *Spinacia oleracea*.
Spinach-blight. See *Spinacea oleracea*, blight of.
Stahl, C. F., and Carsner, E. (paper): Obtaining Beet Leafhoppers Nonvirulent as to Curly-Top..... 393–394
Stakman, E. C., Parker, J. H., and Piemeisel, F. J. (paper): Can Biologic Forms of Stemrust on Wheat Change Rapidly Enough to Interfere with Breeding for Rust Resistance?..... 111–124
Stem Lesions Caused by Excessive Heat (paper)..... 595–604
Stem lesions of *Solanum tuberosum*—
causal organisms of..... 213–219
inoculations with fungi from..... 214–219
isolation of fungi from..... 213–214
Stemrust. See *Puccinia graminis tritici*. See also *Puccinia graminis tritici-compacti*.
Straw—
barley, use as bedding material..... 187–190
oat, used as bedding material..... 187–190
wheat, use as bedding material..... 187–190
Strawberry guava. See *Psidium cattleianum*.
Subsoiling, Deep Tilling, and Soil Dynamiting in the Great Plains (paper)..... 481–521
Subsoiling, effect on crops in Great Plains. 481–521
Sudan-grass hay—
composition..... 176–185
digestibility..... 176–185
yield..... 176
See also *Holcus halepensis sudanensis*.
Sugar beet. See *Beta vulgaris*.
Sulphuric acid. See Acid, sulphuric.

Sunflower. See *Helianthus annuus*. Page
Susceptibility and Resistance to Citrus-canker of the Wild Relatives, Citrus Fruits, and Hybrids of the Genus Citrus (paper)..... 337–358
Sweet potato. See *Ipomea batatas*.
Swine—
Susceptibility to coccidioidal granuloma. 536–539
toxicity of cottonseed products to..... 449
Syanthedon pictipes, female, at light traps.. 146–148
Tangelo, resistance to Citrus-canker..... 351
Terminalia—
catappa, food plant of *Ceratitis capitata*... 606–608
chebula, food plant of *Ceratitis capitata*.... 606–608
Tetramyxa—
palustre, tissue invasion by..... 569
parasitica, tissue invasion by..... 569
triglochin, tissue invasion by..... 569–570
Tetrastichus giffardianus, parasite of *Ceratitis capitata*..... 606–610
Thevetia neriifolia, food plant of *Ceratitis capitata*..... 606–608
Tilling, deep, effect on crops in Great Plains 505–517
Tissue Invasion by *Plasmodiophora brassicae* (paper)..... 543–572
Toxic culture filtrate, value in immunization against blackleg..... 261–262
Toxicity, cottonseed products..... 425–432
Toxin, symptomatic anthrax, concentration 263–264
Toxoptera graminum, life history..... 97–110
Triglochin—
host of *Tetramyxa palustre*..... 569
palustre, host of *Tetramyxa palustre*..... 569
Triphasia trifolia, resistance to Citrus-canker. 341
Triticum—
aestivum—
effect of—
deep tilling in Great Plains on..... 505–517
soil dynamiting in Great Plains on.. 505–517
subsoiling in Great Plains on..... 484–504
host plant of *Puccinia graminis tritici*.. 111–124
resistance of seeds to desiccation..... 527–532
silage of, acidity..... 400–408
wheatscab on, when grown following infected corn..... 611–612
dicoccum, host plant of *Puccinia graminis tritici*..... 118–119
spp.—
coefficients of correlations between—
plant characters..... 380–389
weight of seed and resultant plant characters..... 372–376
effect of environment during growth... 366–376
seed, relation of weight to resultant plant characters..... 376–380
variations..... 359–391
vulgare—
host plant of *Puccinia graminis tritici*... 117–121
syn. *Triticum aestivum*.
True Nature of Spinach-Blight and the Relation of Insects to Its Transmission (paper). 1–60
Trypanosoma equiperdum, recovery from blood of rats..... 574–576
Trypanosomes, recovery from blood of rats. 573–576
Turner, W. B. (paper): Female Lepidoptera at Light Traps..... 135–149
Turnip, curly. See *Brassica rapa*. Page
Two Important Introduced Parasites of the Brown-Tail Moth (paper)..... 191–206
Vaccine, "germ-free," value in immunization against blackleg..... 253–262
Variation and Correlation in Wheat, with Special Reference to Weight of Seed Planted (paper)..... 359–392
Variations in the Moisture Content of the Surface Foot of a Loess Soil as Related to the Hygroscopic Coefficient (paper)..... 453–480
Vigna sinensis, whitespot disease of..... 598
Waianae Mountains, coffee collection in, in 1917..... 610
Wampi. See *Clausena wampi*.
Water. See Moisture.
Watercress. See *Roripa* sp.
Water-Holding Capacities of Bedding Materials for Live Stock, Amounts Required to Bed Animals, and Amounts of Manure Saved by Their Use (paper)..... 187–190
Weather, relation to moisture content of loess soil..... 454–457
West Indian medlar. See *Mimusops elengi*.
Wheat. See *Triticum* spp.
Wheatscab on wheat following infected corn..... 611–612
Whisenand, J. W. (paper): Water-Holding Capacities of Bedding Materials for Live Stock, Amounts Required to Bed Animals, and Amounts of Manure Saved by Their Use..... 187–190
White sapote. See *Casimiroa edulis*.
Whitespot—
control of..... 602
disease of conifers and other plants..... 595–604
resemblance to damping-off disease of plants..... 595
Wild rice. See *Zizania palustris*.
Willard, H. F., and Pemberton, C. F. (paper): Work and Parasitism of the Mediterranean Fruit Fly in Hawaii during 1917..... 605–610
Willow. See *Salix* spp.
Withers, W. A., and Carruth, F. E. (paper): Comparative Toxicity of Cottonseed Products..... 525–532
Wood, yellow. See *Ochrosia elliptica*.
Wool, influence of humidity upon..... 285–295
Work and Parasitism of the Mediterranean Fruit Fly in Hawaii during 1917 (paper). 605–610
*Xanthoxylum Bunge*i, resistance to Citrus-canker..... 340
Yellow oleander. See *Thevetia neriifolia*.
Yellow-wood. See *Ochrosia elliptica*.
Zea mays—
effect of—
deep tilling in Great Plains..... 505–517
soil dynamiting in Great Plains..... 507–508, 512–514
subsoiling in Great Plains..... 481–521
rootrot of..... 611–612
silage of, acidity..... 395–409
Zizania palustris, susceptibility of seeds to desiccation..... 526
Zygorhynchus sp., causal organism of stem lesions of *Solanum tuberosum*..... 216–219